SITE: TVA Kingston
BREAK: 2.2
OTHER:

POTABLE WATER SAMPLING RESULTS KINGSTON FOSSIL FLY ASH RESPONSE HARRIMAN, ROANE COUNTY, TENNESSEE

Prepared for:



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY EMERGENCY RESPONSE AND REMOVAL BRANCH REGION 4

61 Forsyth Street Atlanta, GA 30303

Prepared by:



Tetra Tech, Inc.

Superfund Technical Assessment and Response Team
1955 Evergreen Blvd
Building 200, Suite 300
Duluth, GA
Contract No. EP-W-05-054
Technical Direction Document TTEMI-05-001-0084

January 10, 2009 Revision 1



POTABLE WATER SAMPLING RESULTS

TVA KINGSTON FOSSIL PLANT FLY ASH RESPONSE HARRIMAN, ROANE COUNTY, TENNESSEE

INTRODUCTION

The Tetra Tech EM Inc. Superfund Technical Assessment and Response Team (START) is submitting this report summarizing potable water sampling activities conducted at the Kingston Fossil Fly Ash Response in Harriman, Tennessee. EPA tasked START to collect potable water samples from both the raw intake water and final treated water at the Kingston, Cumberland, and Rockwood treatment systems. EPA Region 4 Science Ecosystem and Support Division (SESD) also sampled municipal potable water supplies and three residential wells. The purpose of the investigation was to provide an initial characterization of potentially impacted potable water supplies. START conducted the investigation using the Field Branches Quality System and Technical Procedures (http://www.epa.gov/region4/sesd/fbqstp/).

SITUATION

On December 22, 2008, at approximately 0100 hours, the northeastern dike at the TVA Kingston Power Plant, located in Harriman, Roane County, Tennessee, failed. The dike retained one of three cells at the facility used for dewatering fly ash. Subsequently, approximately 5.4 million cubic yards of fly ash were released into two sloughs which flow into the Emory River. The release extended approximately 300 acres outside of the ash storage areas. Local emergency officials first responded to the scene, and then shortly thereafter, began to assist residents affected by the fly ash flow. Three residential homes became condemned as a result of the release.

On December 22, 2008, the National Response Center (NRC), and subsequently the U.S. Environmental Protection Agency (EPA) Region 4, was notified of the incident. A Federal On-Scene Coordinator (OSC) and Tetra Tech START contractor were mobilized to the TVA Kingston Power Plant Facility the same day.

SAMPLING ACTIVITIES

EPA contractor, Tetra Tech, collected raw and finished water samples from the Kingston and Rockwood plants on two different dates. Finished water refers to the water that has passed through all of the processes in a water treatment plant and is ready to be delivered to the consumer. The raw water intake was sampled from the river on 12/23/08. This sample was split with Tennessee Valley Authority (TVA) and sent to independent laboratories for analysis. This procedure allows for verification of analytical procedures. This sample was analyzed for Target Analyte List (TAL) total metals (SW846 Method 6010B/7470A) by a National Environmental Laboratory Accreditation Program (NELAP) certified laboratory. On December 29, 2008, both the raw intake lines and the finished water were sampled at two potentially impacted public potable water treatment plants, the Kingston and Rockwood. These were analyzed for TAL total and dissolved metals (SW846 Method 6010B/7470A), total suspended solids (EPA 160.2), and total dissolved silica (SW846 Method 6010B).

EPA personnel from the Science and Ecosystem Support Division (SESD) mobilized to the site on December 30, 2008 in order to assist with potable well sampling activities. SESD collected three residential well samples, one sample from a residence supplied by the Kingston public system, and six raw intake and finished water samples from the Kingston, Rockwood and Cumberland plants. The ability to obtain access under a short time constraint limited the sample size of the initial residential well sampling. Tennessee Department of Environment and Conservation (TDEC) continued to sample



residential wells in the days that followed. The samples were analyzed by the SESD laboratory located in Athens, Georgia, for TAL total and dissolved metals (EPA 200.7/200.8/245.1), and total suspended solids (SM 2540D).

The following table identifies EPA potable water samples, their location, and corresponding analyses:

Table 1: Potable Water Sample Descriptions


rable 1.1 stable water sample bestriptions								
Sample ID	Date Collected	TAL Total Metals	TAL Dissolved Metals	Total Suspended Solids	Total Dissolved Silica	Location		
KIF-KWTPI	12/23/08	Х				Kingston Plant Raw		
	12,20,00					Water (River Intake)		
KWTPI-WS01	12/29/08	X	x	X	X	Kingston Plant Raw		
				ļ		Water (Supply Line)		
KWTDW-WS02	12/29/08	Х	l x	X	X	Kingston Plant Finished		
			ļ			Water		
RWDW-WS03	12/29/08	X	x	X	X	Rockwood Plant Raw		
		-	ļ			Water (Supply Line)		
RWWTI-WS04	12/29/08	X	X	X	X	Rockwood Plant Finished		
				<u> </u>		Water		
KWTIA	12/30/08	X	x .	X'		Kingston Plant Raw		
			ł			Water (Supply Line)		
KWT2A	12/30/08	X	x	X		Kingston Plant Finished		
			ļ			Water		
KWT3A	12/30/08	X	l x	x		Rockwood Plant Raw		
				ļ		Water (Supply Line)		
KWT4A	12/30/08	X	x	x		Rockwood Plant Finished		
	12/20/00					Water		
KWT5A	12/30/08	X	x	x		Cumberland Plant Raw		
121111111	12.00.00		1-			Water (Supply Line)		
KWT6A	12/30/08	х	x	x		Cumberland Plant		
	12/30/00	••				Finished Water		
1007	12/30/08	X	· x	X		1007 Swan Pond Road		
						(Well)		
1015	12/30/08	Х	l x	x		1015 Swan Pond Road		
	12.23.30		ļ	 		(Well)		
937	12/30/08	x ·	l x	l x	1	937 Swan Pond Road		
	12,23,30		ļ		ļ	(Well)		
993	12/30/08	X	x	l x		993 Swan Pond Road		
					l	(Public System)		

Figure 1 shows a map of all potable water sample locations.

SAMPLING RESULTS

Tables 2, 3, and 4 contain unvalidated summary analytical results for all EPA collected data, sorted by date. Each table includes the Federal Maximum Contaminant Levels (MCLs) for comparative purposes. The MCLs represent the maximum permissible level of a contaminant in water delivered to any user of a public water system.

In the report released on January 4, 2009, the estimated thallium result was reported as exceeding the MCL (0.002 mg/L) at the raw water collected from the Kingston Plant intake. After further review of the laboratory quality control data, thallium was determined not to be detected in the sample. For additional confirmation the sample was reanalyzed using a lower detection limit and again, thallium was not detected. Therefore none of the samples collected on December 23 through 29, 2008 exceeded the MCLs for any analyte.



Analysis of the SESD data collected December 30, 2008 indicates that no analytes above the MCLs were detected in either finished or raw water at the three public plants. Similarly, no levels above the MCLs were noted in the residential wells.

As of January 4, 2009, TVA has collected 15 samples of raw intake water and 5 samples of finished water from the Kingston and Rockwood Treatment plants, as well as the Watts Bar Nuclear Power Plant. TDEC collected splits of two of these and sent them for analysis to the Tennessee Department of Health laboratory in Nashville, Tennessee. TVA collected samples from two private wells, one industrial well, and a natural spring. TDEC has collected approximately 20 residential well samples within a 4 mile radius. These results are pending.

CONCLUSION

EPA, TDEC, and TVA have conducted sampling of both the raw and finished water at the public water treatment plants in the areas affected by the TVA ash spill. Based on the analysis of the samples collected by EPA on December 23, 29, and 30, 2008, there appears to be no current impact to public potable water supply in the affected area at this time. Characterization of residential wells is ongoing. No exceedences of MCLs for residential wells were noted in EPA's sampling.

TABLE 2 EPA START UNVALIDATED POTABLE WATER SAMPLING RESULTS SAMPLING OF RAW INTAKE WATER SAMPLE COLLECTED DECEMBER 23, 2008

Sample Designation:	Maximum	KIF-KWTPI	KIF-KWTPI (lower detection)	
Sample Collection Date:	Contaminant	12/23/2008	12/23/2008	
Field Quality Control:	Level	(Kingston Raw)	(Rockwood Raw)	
Total Suspended Solids (mg/L)		<u> </u>		
Total Suspended Solids	NL	NA	NA	
Dissolved Metals (mg/L)			Ì	
Aluminum	NL	NA	NA	
Antimony	0.006	NA	NA	
Arsenic	0.01	· NA	NA	
Barium	2 .	NA ·	NA	
Beryllium	0.004	NA	NA	
Cadmium	0.005	NA	NA	
Calcium	NL	NA	NA	
Chromium	0.1	NA	NA	
Cobalt	NL	NA	NA	
Copper	1.3	NA '	NA	
Iron	NL	NA	, NA	
Lead	0.015 ·	NA	NA	
Magnesium	NL	NA	NA	
Manganese	NL	NA	· NA	
Mercury	0.002	NA .	NA	
Nickel	NL	NA	NA	
Potassium	NL	NA NA	NA .	
Selenium	0.05	NA	NA NA	
Silica	NL .	NA NA	NA	
Silver	NL	NA NA	NA	
Sodium	NL	NA	NA	
Thallium	0.002	NA	NA	
Vanadium	NL NL	NA NA	NA NA	
Zinc	NL	NA NA	NA NA	
Total Metals (mg/L)		0.200	0.5.15	
Aluminum	NL 0.006	0.388	0.247	
Antimony	0.006	0.02 U	0.005 U	
Arsenic	0.01	0.05 U	0.005 U	
Barium Beryllium	0.004	0.0234 0.01 U	0.0212 0.001 U	
Cadmium	0.005	0.005 U	0.001 U	
Calcium	NL V.003	16.1	16.5	
Chromium	0.1	0.01 U	0.005 U °	
Cobalt	NL NL	0.02 U	0.005 U	
Copper	1.3	0.01 U	0.000914 J	
Iron	NL NL	0.386	0.249	
Lead	0.015	0.01 U	0.000332 J	
Magnesium	NL	4.16	3.63	
Manganese	NL	0.0487	0.0448	
Mercury	0.002	0.0002 U	. NA	
Nickel	NL	0.02 U	0.000672 J	
Potassium	NL	1.95	1.89	
Selenium	0.05	0.02 U	0.005 U	
Silver	NL	0.01 U	0.001 U	
Sodium	NL	8.77	8.49	
Thallium	0.002	0.02 U	0.001 U	
Vanadium	NL	0.01 U	0.005 U	
Zinc	NL	0.02 U	0.0107	

Notes:

Highlighted results exceeded the Maximum Contaminant Level

mg/L = Milligrams per liter

NA = The sample was not analyzed for this analyte.

NL = Not listed

U = The analyte was analyzed for, but was not detected at or above the associated v

J = The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

TABLE 3 EPA START UNVALIDATED POTABLE WATER SAMPLING RESULTS SAMPLING OF RAW INTAKE WATER AND TREATED WATER SAMPLES COLLECTED DECEMBER 29, 2008

Sample Designation:	Maximum	KWTPI-WS01	KWTDW-WS02	RWWTI-WS04
Sample Collection Date:	Contaminant	12/29/2008	12/29/2008	12/29/2008
Sample Location:	Level	(Kingston Raw)	(Kingston Finished)	(Rockwood Raw)
Total Suspended Solids (mg/L)			· · · · · · · · · · · · · · · · · · ·	
Total Suspended Solids	NL	10.5	5 U	8
Dissolved Metals (mg/L)	**			
Aluminum	NL	0.2 U	0.2 U	0.2 U
Antimony	0.006	0.02 U	0.02 U	0.02 U
Arsenic	0.01	0.05 U	0.05 U	0.05 U
Barium	2	0.0192 J	0.0179 J ·	0.0251
Beryllium	0.004	0.01 U	0.01 U	0.01 U
Cadmium	0.005	0.005 U	0.005 U	0.005 U
Calcium	NL	14.2	14.0	17.9
Chromium	0.1	0.01 U .	0.01 U	0.01 U
Cobalt	NL	0.02 U	0.02 U	0.02 U
Copper	1.3	0.01 U	0.0037 J	0.01 U
Iron	NL	0.1 U	0.1 U	0.1 U
Lead	0.015	0.01 U	0.01 U	0.01 U
Magnesium	NL NL	3.67	3.66	5.87
Manganese	NL NL	0.015 U	0.015 U	0.015 U
Mercury	0.002	0.00014 J	0.00003 J	0.00004 J
Nickel	· NL	0.02 U	0.02 U	0.02 U
Potassium	NL NL	1.60	1.64	1.49
Selenium	0.05	0.02 U	0.02 U	0.02 U
Silica	NL NL	1.94	2.12	2.03
Silver	NL NL	0.01 U	0.01 U	0.0003 J
Sodium	NL	8.36	11.6	6,37
Thallium	0.002	0.02 U	0:02 U	0.02 U
Vanadium	NL 0.002	0.02 U	0.01 U	0.02 U
Zinc	NL NL	0.0337	0.01 U	0.0633
Total Metals (mg/L)		0.0557	0.02 8	0.0055
Aluminum	NL I	0.423	0.0427 J	0.149 J
Antimony	0.006	0.423 0.02 U	0.0427 J	0.02 U
Arsenic	0.000	0.02 U	0.02 U	0.02 U
Barium	2	0.0258	0.0217	0.0316
Beryllium	0.004	0.0256 0.01 U	0.01 U	0.01 U
Cadmium	0.005	0.005 U	0.005 U	0.005 U
Calcium	NL 0.005	15.5	15.8	19.8
Chromium	0.1	0.01 U	0.01 U	0.01 U
Cobalt	NL NL	0.02 U	0.02~U	0.01 U
Copper	1.3	0.00441 J	0.00551 J	0.00356 J
Iron	NL NL	0.512	0.00331 J	0.175
Lead	0.015	0.01 U	0.1 U	0.173 0.01 U
Magnesium	0.013 NL	4.34	4.41	6.87
Manganese	NL NL	0.106	0.015 U	0.0496
Mercury	0.002	0.00041	0.00008 J	0.0496 0.00014 J
Nickel	0.002 NL	0.00041 0.02 U	0.0008 J	0.0014 J
Potassium	NL NL	1.90	1.89	1.77
Selenium	0.05	0.02 U	0.02 U	0.02 U
	0.05 NL	0.02 U 0.01 U		
Silver			0.01 U	0.01 U
Sodium	NL 0.002	9.45	16.1	7.27
Thallium Vanadium	0.002	0.02 U	0.02 U 0.01 U	0.02 U
Vanadium	NL NL	0.01 U	1	0.01 U 0.0991
Zinc	NL I	0.0712	0.02 U	0.0991

Notes:

Highlighted results exceeded the Maximum Contaminant Level

J = The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

mg/L = Milligrams per liter

NA = The sample was not analyzed for this analyte.

NL = Not listed

U = The analyte was analyzed for, but was not detected at or above the associated value.



TABLE 3 EPA START UNVALIDATED POTABLE WATER SAMPLING RESULTS SAMPLING OF RAW INTAKE WATER AND TREATED WATER SAMPLES COLLECTED DECEMBER 29, 2008

Sample Designation:	Maximum	RWDW-WS03
Sample Collection Date:	Contaminant	12/29/2008
Sample Location:	Level	(Rockwood Finished)
Total Suspended Solids (mg/L)		
Total Suspended Solids	· NL	5 U
Dissolved Metals (mg/L)	· · · · · · · · · · · · · · · · · · ·	
Aluminum	NL	0.0235 J
Antimony	0.006	0.02 U
Arsenic	0.01	0.05 U
Barium	2	0.0248
Beryllium	0.004	0.01 U
Cadmium	0.005	0.005 U
Calcium	NL	17.9
Chromium ,	0.1	0.01 U
Cobalt	·NL	0.02 U
Copper	1.3	0.01 U
Iron	NL	0.1 U
Lead	0.015	0.01 U
Magnesium	NL	5.87
Manganese	NL	0.015 U
Mercury	0.002	0.00002 J
Nickel	NL	0.02 U
Potassium	NL	1.64
Selenium	0.05	0.02 U
Silica	NL ·	2.14
Silver	· NL	0.01·U
Sodium	. NL	7.30
Thallium	0.002	0.02 U
Vanadium	NL	0.01 U
Zinc	' NL	0.0240
Total Metals (mg/L)		
Aluminum	NL	0.0326 J
Antimony	0.006	0.02 U
Arsenic	0.01	0.05 U
Barium	2	0.0295
Beryllium	0.004	0.01 U
Cadmium ·	0.005	0.005 U
Calcium	NL	20.0
Chromium	0.1	0.01 U
Cobalt	NL	0.02 U
Copper	1.3	0.01 U
Iron	. NL	0.1 U
Lead	0.015	0.01 U
Magnesium	. NL	6.97
Manganese	NL	0.015 ·U
Mercury .	0.002	0.00005 J
Nickel	NL	0.02 U
Potassium	NL	1.92
Selenium	0.05	0.02 U
Silver	NL	0.01 U
Sodium	NL	8.31
Thallium .	0.002	0.02 U
Vanadium	NL	0.01 U
Zinc	NL	0.0321

Notes

Highlighted results exceeded the Maximum Contaminant Level

J = The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.

mg/L = Milligrams per liter

NA = The sample was not analyzed for this analyte.

NL = Not listed

 $\cdot U = \cdot The$ analyte was analyzed for, but was not detected at or above the associated value.

TABLE 4
EPA SESD POTABLE WATER SAMPLING RESULTS
SAMPLING OF RAW INTAKE WATER, TREATED WATER, AND PRIVATE WELL WATER
Samples collected 12/30/08

Sample Designation:	Maximum	1007	1007D	1015	1015D	937
Sample Collection Date:	Contaminant	12/30/2008	12/30/2008	12/30/2008	12/30/2008	12/30/2008
Sample Location:	Level	1007 Swan Pond Rd.	1007 Swan Pond Rd.	1015 Swan Pond Rd.	1015 Swan Pond Rd.	937 Swan Pond Rd.
Analysis:		Total Metals	Dissolved Metals	Total Metals	Dissolved Metals	Total Metals
Units:	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)
Sample Type:		Well Water	Well Water	Well Water	Well Water	Well Water
Aluminum	NE	100 U, J, QR-1	100 U, J, QR-1			
Antimony	6	1 U	1 U	3	ΙÜ	1 U
Arsenic	10	1 U	1 U	1 U .	1 U	1 U
Barium	2000	73	71	69	73	120
Beryllium	4	3 U	3 U	3 U	3 U	3 U
Cadmium	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Calcium	NE	21000	18000	28000	30000	57000
Chromium	100	5 U	.5 U	16	5 U	5 U
Cobalt	NE	5 U	5 U	5 U	'5 U	5 U
Copper	1300	16 J, QR-2	10 U	32 J, QR-2	10 U	10 U
Iron	NE	120	100 U	1000	480	100 U
Lead	15	1 U.	1 U	7.2	1 U	1 U
Magnesium	NE	7800	7800	8000	8700	8200
Manganese	NE	7.6	5 U	580	610	29
Mercury	2	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Molybdenum	NE	5 U	5 U	5 U	5 U	5° U
Nickel	NE	10 U	10 U	10 U	10 U	10 U
Potassium	NE	2900	3100	3200	3400	2100
Selenium	50	2 U	2 U	2 U	2 U	2 U
Silver	NE	5 U	5 U	5 U	5 U	5 U
Sodium	NE	230000	240000	15000	16000	11000
Strontium	NE	340	330	400	430	360
Thallium	2	1 U	1 U	1 U	1 U	1 U
Tin	NE	15 U	15 U	15 U	. 15 U	15 U
Titanium	NE	5 U, J, QR-1	5 U, J, QR-1			
Vanadium	NE	5 U	5 U	5 U	5 U	5 U
Yttrium	NE	3 U	3 U	3 U	3 U	3 U
Zine	NE	15	10 U	48	45	10 U

TABLE 4
EPA SESD POTABLE WATER SAMPLING RESULTS
SAMPLING OF RAW INTAKE WATER, TREATED WATER, AND PRIVATE WELL WATER
Samples collected 12/30/08

Sample Designation:	Maximum	937D	993	993D	KWTIA	KWT1AD
Sample Collection Date:	Contaminant	12/30/2008	12/30/2008	12/30/2008	12/30/2008	12/30/2008
Sample Location:	Level	937 Swan Pond Rd.	993 Swan Pond Rd.	993 Swan Pond Rd.	Kingston Intake	Kingston Intake
Analysis:		Dissolved Metals	Total Metals	Dissolved Metals	Total Metals	Dissolved Metals
Units:	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)
Sample Type:		Well Water	Public Water	Public Water	Raw Water	Raw Water
Aluminum	NE	100 U, J, QR-1	100 U, J, QR-1	100 U, J, QR-1	210 J, QR-1	100 U, J, QR-1
Antimony	6	1 U	1 U	i U	1 U	1 U
Arsenic	10	1 U	1 U	1 U	1 U	1 U
Barium	2000	120	26	26	19 J, QR-1	18 J, QR-1
Beryllium	4	3 U	3 U	3 U	3 U	3 U
Cadmium	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Calcium	NE	56000	23000	23000	18000	18000
Chromium	100	· 5 U	5 U	5 U	5 U	5 Ü
Cobalt	NE	5 U	5 U	5 U	5 U	5 U
Copper	1300	10 U	46 J, QR-2	41 J, QR-2	11 J, QR-2	10, U
Iron	NE	100 U	100 U	100 U	260	100 U
Lead	15	1 <u>U</u>	2.4	1.3	1 U	1 U
Magnesium .	NE	7900	6900	7100	4400	4200
Manganese	NE	23	5 U	5 U	38	5.9
Mercury	2	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Molybdenum	NE	5 U	5 U	5 U	5 U	5 U
Nickel	NE	10 U	10 U	10 U	10 U	10 U
Potassium	NE	2100	2300	2200	2300	2300
Selenium	50	2 U	2 U	2 U	2 U	2 U
Silver	NE	5 U	5 U	5 U	. 5 U	5 U
Sodium	NE	12000	9200	9100	10000	10000
Strontium	NE	360	67	66	67	66
Thallium	2	1 U	1 U	1 U	1 U	1 U
Tin	NE	15 U	15 U	15 U .	15 U	15 U
Titanium	NE ·	5 U, J, QR-1	5 U, J, QR-1	5 U, J, QR-1	5 U, J, QR-1	5 U, J, QR-1
Vanadium	NE	5 U	5 U	5 U	5 U	5 U
Yttrium	NE	3 U	3 U	3 U	3 U	3 U
Zinc	NE	10 U	42	39	31	25

TABLE 4
EPA SESD POTABLE WATER SAMPLING RESULTS
SAMPLING OF RAW INTAKE WATER, TREATED WATER, AND PRIVATE WELL WATER
Samples collected 12/30/08

Sample Designation:	Maximum	KWT2A	KWT2AD	KWT3A	KWT3AD	KWT4A
Sample Collection Date:	Contaminant	12/30/2008	12/30/2008	12/30/2008	12/30/2008	12/30/2008
Sample Location:	Level	Kingston Treated	Kingston Treated	Rockwood Intake	Rockwood Intake	Rockwood Treated
Analysis:		Total Metals	Dissolved Metals	Total Metals	Dissolved Metals	Total Metals
Units:	(μg/L)	(μg/L) ·	(μg/L)	(μg/L)	(μg/L)	(μg/L)
Sample Type:		Treated Water	Treated Water	Raw Water	Raw Water	Treated Water
Aluminum	NE	100 U, J, QR-1	100 U, J, QR-1	100 U	100 U	100 U
Antimony	6	1 U	1 U	1 U	1 U	1 U
Arsenic	10	1 U	1 U	1 U	1 U	1 U
Barium	2000	17 J, QR-1	17 J, QR-1	27	23	27
Beryllium	4	3 U	3 U	3 U	3 U	. 3 U
Cadmium	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Calcium	NE	17000	17000	21000	22000	23000
Chromium	100	5 U	5 U	5 U	5 U	. 5 U
Cobalt	NE	5 U	5 U	5 U	5 U	5 U
Copper	1300	11 J, QR-2	12 J, QR-2	10 U	10 U	10 U
Iron	NE	100 U	100 U	100 U	100 U	100 U
Lead	15	1 U .	1 U	1 U	1 U	1 U
Magnesium	NE	4100	4300	6700	7000	7300
Manganese	NE	5 U	5 U	8.4	5 U	5 U
Mercury	2	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Molybdenum -	NE	5 U	5 U	5 U	5 U	5 U
Nickel	NE	10 U	10 U	10 U	10 U	10 U
Potassium	NE	2100	2200	1800	2000	1900
Selenium	50	2 U	2 U	2 U	2 U	2 U
Silver	NE	5 U	5 U	5 U	5 U	5 U
Sodium	NE NE	14000	14000	7600	7700	8700
Strontium	NE	63	65	64	. 66	. 67
Thallium	2 .	1 Ü	1 U	1 U	· 1 U	1 U
Tin ·	NE	15 U	15 U	15 U	15 U	15 U
Titanium	. NE	5 U, J, QR-1	5 U, J, QR-1	5 U	5 U	5 U
Vanadium	NE	5 U	5 U	5 U	5 U	5 U .
Yttrium ·	NE	3 U	3 U	3 U	3 U	3 U
Zinc	NE	. 10 U	10 U	26	25	23

TABLE 4
EPA SESD POTABLE WATER SAMPLING RESULTS
SAMPLING OF RAW INTAKE WATER, TREATED WATER, AND PRIVATE WELL WATER
Samples collected 12/30/08

Sample Designation:	Maximum	KWT4AD	KWT4AX	KWT4ADX	KWT5A	KWT5AD
Sample Collection Date:	Contaminant [12/30/2008	12/30/2008	12/30/2008	12/30/2008	12/30/2008
Sample Location:	Level	Rockwood Treated	Rockwood Treated	Rockwood Treated	Cumberland Intake	Cumberland Intake
Analysis:		Dissolved Metals	Total Metals	Dissolved Metals	Total Metals	Dissolved Metals
Units:	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)
Sample Type:		Treated Water	Treated Water	Treated Water	Raw Water	Raw Water
Aluminum	NE]	100 U	100 U	100 U	360	100 U
Antimony	6	1 U	1 U	1 U	. 1 U	1 U
Arsenic	10	1 U	1 U	1 U	1 U	1 U
Barium	2000	25	25	26	22	20
Beryllium	4	3 U	3 U .	3 U	3 U	3 U
Cadmium	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Calcium	NE	22000	22000	22000	10000	10000
Chromium	100	5 U	5 U	5 U	5 U	5 U
Cobalt	NE	5 U	5 U	5 U	5 U	5 U
Copper	1300	10 U	10 U	10 U	25	22
ron	NE	100 U	100 U	100 U	410	100 U
Lead	15	1 U	1 U	1 U	1 U	1 U
Magnesium	NE	7200	7300	7100	4200	4200
Manganese	NE	5 U	5 U	5 U	45	43
Mercury	2	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
Molybdenum	NE	5 U	5 U	5 U	5 U	5 U
Nickel	NE	10 U	10 U	10 U	10 U	10 U
otassium	NE	2100	1800 .	1800	1300	1300
Selenium	50	2 U	2 U	2 U	2 U	2 U
Silver	NE	5 U	5 U	5 U	5 U	5 U
Sodium	NE	8500	8400	8400	2700	2800
Strontium	NE	65	65	63	29	29
<u> Challium</u>	2	1 U	. 1 U	1 U	1 U	1 U
<u> </u>	NE	15 U	. 15 U	15 U	15 U	15 U
<u> Fitanium</u>	NE	5 U	5 U	5 U	9.4	5 U
/anadium	NE	5 U	5 U	5 U	5 U	5 U
Yttrium	NE	3 U	3 U	3 U	3 U	3 U
Zinc	NE	23	23	24	- 10 U	10 U

TABLE 4 EPA SESD POTABLE WATER SAMPLING RESULTS SAMPLING OF RAW INTAKE WATER, TREATED WATER, AND PRIVATE WELL WATER Samples collected 12/30/08

Sample Designation:	Maximum	KWT6A	KWT6AD	PRES BLK
Sample Collection Date:	Contaminant	30-Dec-2008	30-Dec-2008	30-Dec-2008
Sample Location:	Level	Cumberland Treated	· Cumberland Treated	NA
Analysis:		Total Metals	Dissolved Metals	Total Metals
Units:	(μg/L)	(μg/L)	(μg/L)	(μg/L)
Sample Type:		Treated Water	Treated Water	Preservative Blank
Aluminum	NE	100 U	100 U	100 U, J, QR-1
Antimony	6	1 U	1 U	1 U
Arsenic	10	l U	1 U	1 U
Barium	2000	22	21	5 U, J, QR-1
Beryllium	4	3 U	3 U	3 U
Cadmium	5	0.5 U	0.5 U	0.5 U
Calcium	NE	11000	10000	250 U
Chromium	100	5 U	5 U	5 U
Cobalt	NE	5 U	5 U	5 U
Copper	- 1300	10 U	10 U	10 U
Iron	NE	100 U	100 U	100 U
Lead	15	1 U	1 U	1 U
Magnesium	NE	4300	4200	250 U
Manganese	NE	36	36	5 U
Mercury	2	0.1 U	0.1 U	0.1 U
Molybdenum	NE	5 U	5 U	5 U
Nickel	NE	10 U	10 U	10 U
Potassium	NE	.1400	1300	1000 U
Selenium	50	2 U	2 U	2 U
Silver	NE	5 U	5 U .	5 U
Sodium .	NE	6200	6000	1000 U
Strontium	NE	29	28	5 U
Thallium	2	1 U	1 U	1 U
Tin	NE	15 U	· 15 U	15 U
Titanium	NE	· 5 U	. 5 U	5 U, J, QR-1
Vanadium	NE	5 U	5 U	5 U
Yttrium	NE	3 U	3 U	3 U
Zinc	NE	13	14	10 U

Notes:

Highlighted results exceeded the Maximum Contaminant Level

QR-1 = MRL verification recovery less than lower control limits.

NE = Not established

μg/kg = Micrograms per kilogram

QR-2 = MRL verification recovery greater than upper control limits.

U = The analyte was analyzed for, but was not detected at or above the asso-

J = The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.